



TYRESOLES
Getting the best out of your tyres

SAH & SANGHI
GROUP COMPANY



ECOMILES

RENEWED TYRES

INTEGRITY

CUSTOMER FIRST

CONTINUOUS IMPROVEMENT

RESULT ORIENTED

SHARING SUCCESS



5000 Plus delighted customers

1,50,000 Ecomiles already on Indian roads ... and going strong.



Eco Friendly

Every time you buy a Ecomiles Truck Tyre you save 57 ltrs of crude oil for the Nation. Save Environment too.

New Tyre



Retreaded Tyre



Now with

LIFETIME WARRANTY*

- * PRORATA WARRANTY ON AIR SEPARATIONS IN CASINGS / TREAD / PATCHES TILL TREAD LIFE.
- * CASING BURSTS ARE NOT COVERED UNDER WARRANTY.



WARRANTY INCLUDES*

- Casing separation
- Tread separation
- Patch separation
- Channel crack
- Tread joint failures
- Early wear under normal operating conditions.



WARRANTY DOES NOT INCLUDE*

- Uneven wear due to mechanical defect
- Early wear due to improper dualling
- Centre wear /shoulder wear due to improper air pressure,
- Casing burst due to impact of foreign objects etc.
- Channel cracks due to under inflation & or overload,
- Early wear, tread chipping due to extreme surface & operating conditions,
- Or any such failures arising out of operational hazards & vehicle defects.



CONSEQUENTIAL DAMAGES*

TYRESOLES will not be responsible for any consequential damages arising as a result of claim tyre. The maximum compensation will be limited to the invoice value of the tyre.



PRORATA BASIS*

Tyres under claim will be settled on prorata basis only i.e % of unused tread depth.
Eg: if a tyre comes under claim after 30% of tread wearing, then either a credit note will be raised for 70% of retreading amount or a tyre will be reprocessed with 70% of retreading amount.

Application Specific Tread Patterns

TZL  <p>Tread width: 215/205/195 mm Tread depth: upto 12 mm \pm 1 mm</p> <p>Suitable for trucks, tankers & trailers. For bias ply tyres rear application</p>	TVM  <p>Tread width: 195/205/215/225 mm Tread depth: upto 12 mm \pm 1 mm</p> <p>Suitable for trucks, tankers & trailers. For bias ply tyres rear application</p>	TRBR  <p>Tread width: 210/220 mm Tread depth: upto 12 mm</p> <p>Suitable for buses. For radial/bias ply tyres all position application</p>	TSLR  <p>Tread width: 210/220 mm Tread depth: upto 12 mm</p> <p>Suitable multi axil trailers & trucks. For bias ply tyres rear application</p>
JT  <p>Tread width: 150/160/170/185/195/ 205/215/225 mm Tread depth: upto 14 mm \pm 1 mm</p> <p>Suitable for trucks, tankers & trailers. For bias ply tyres rear application.</p>	XB  <p>Tread width: 150/160/170/185/195/205/215 mm Tread depth: upto 14 mm \pm 1 mm</p> <p>Suitable for trucks, tankers & dumpers. For bias ply tyres rear application.</p>	CH  <p>Tread width: 110/120/130/140/150/160/ 170/185/195/205/215 mm Tread depth: upto 13.5 mm \pm 1 mm</p> <p>Suitable for bus, trucks & trailers. For bias ply tyres all position application</p>	CHR  <p>Tread width: 205/215/220/230 mm Tread depth: upto 14 mm</p> <p>Suitable for buses & trucks. For radial & bias ply tyres all position application.</p>
UMR  <p>Tread width: 200/210/220/230/240 mm Tread depth: upto 12 mm \pm 1 mm</p> <p>Suitable for trucks, tankers & trailers. Suitable for radial tyres rear application.</p>	MTRL  <p>Tread width: 210/220/230/240 mm Tread depth: upto 14 mm \pm 1 mm</p> <p>Suitable for trucks, tankers & trailers. Suitable for radial tyres rear application.</p>	SPECTRA  <p>Tread width: 140/150/160/170/180/200 210/220/230/240/260 mm Tread depth: upto 14 mm \pm 1 mm</p> <p>Suitable for buses, trucks & radial tyres all position application.</p>	TMMR  <p>Tread width: 215/225/219/230 mm Tread depth: upto 13 mm \pm 1 mm</p> <p>Suitable for trucks, tankers & trailers. Suitable for radial tyres rear application.</p>
TSR  <p>Tread width: 150/160/170/180/ 200/210/220 mm Tread depth: upto 14 mm \pm 1 mm</p> <p>Suitable for buses & trucks. For bias ply tyres all position application</p>	TSL  <p>Tread width: 200/210/220 mm Tread depth: upto 14 mm \pm 1 mm</p> <p>Suitable for trucks, tankers & dumpers. For bias ply tyres rear application</p>	TMS  <p>Tread width: 210/220/230/240 mm Tread depth: upto 16 mm</p> <p>Suitable for short haul dump trucks. Best suited for mining operations & stone crusher sites. For Bias ply tyres rear application.</p>	MNS  <p>Tread lug: 34 Tread depth: 30 mm</p> <p>Suitable for wheel loader, JCB 14.00 x 25 size.</p>

Why Ecomiles

at **Half** the
Price of
New Tyre



**Lifetime
Warranty ***



**Certified
Casings**



**Environment
Friendly**



Service Network



PLOT NO. 35 & 36,
KAKATI INDUSTRIAL ESTATE,
KAKATI, BELGAUM - 591 113, INDIA
TEL: 0831 247 0691 / 247 0673
EMAIL: BELGAUM@TYRESOLES.COM



PLOT NO. 84, RICHHAI INDUSTRIAL EST.
OPP. PARLE BISCUIT FACTORY, JABALPUR,
MADHYA PRADESH - 482 004, INDIA
TEL: 0761 276 7977 / 934012 4824
EMAIL: JABALPUR@TYRESOLES.COM



PLOT NO. 393 A2 BAIKAMPADY
INDUSTRIAL AREA, NEW MANGALORE,
KARNATAKA - 575 011
TEL: 0 824 240 7164 / 240 9476
EMAIL: MANJUNATH.TREADS@TYRESOLES.COM



JAWAHAR CO-OPERATIVE, INDUSTRIAL
ESTATE, COMMON AMENITIES BUILDING,
OPP PARAMOUNT FORGINGS,
KAMOTHE PANVEL - 410 209
MOBILE: 76068 86163
EMAIL: NAVIMUMBAI@TYRESOLES.COM

Ahmedabad: Survey No. 326, Behind Jay Parking, Transport Nagar, By Pass Road, Aslali, Ahmedabad - 382427
Tel: 75750 07027 / 97255 36063, Email: Gujarat@tyresoles.com

Delhi: Tyresoles (I)P Ltd CW-290, Ground Floor, Sanjay Gandhi Transport Nagar, Delhi. Pin 110042

Pune: At Post Velu Taluka Bhor District Pune, Near Shardha Sahakari Path Sanstha, Velu Phata, Pune - 412 205
• Mobile: 83789 57871 • Email: pune@tyresoles.com

Bengaluru: No. 07, R R Compound, Near TCI Bus stop, Madanayakanahalli, Bengaluru 562162. Mobile : 70264 09955

Goa: Rock Garden Residency, Ground Floor, Block 1, Shop No. 2724/5 & 6, Vasant Nagar. Harvalem. Sakhali.
Goa - 403 505 • Tel.: 0 832 2365650 • Mobile: 92255 38494 • Email: goa@tyresoles.com

All India Top 5 - QTR 2 - 2024 - 25

1

**M/S BOMBAY TYRES -
MR. ANIKET PATIL -**
Vapi (Gujarat) - Net Sale : 76.86 Lakhs

2

**M/S SHARMA TYRES -
MRS. RAKHI BISHWAKARMA -**
Patna (Bihar) - Net Sale : 40.71 Lakhs

3

**M/S MAMANSH -
MRS. NILAM CHIRAG DETHARIYA -**
Saurashtra (Gujarat) - Net Sale : 36.62 Lakhs

4

**M/S JAAS ENTERPRISES -
MR. THARANATH K -**
Bangalore (Karnataka) - Net Sale : 29.12 Lakhs

5

**M/S GOOD LUCK TYRES -
MR. KAMLESHBHAI -**
Vadodara (Gujarat) - Net Sale : 28.09 Lakhs

Congratulations !

Call /  7738678260



ECOMILES
RENEWED TYRES

Retreading Dealers - All India Top 5 - QTR 2 - 2024 - 25



1

**M/S SUMUKHA ENTERPRISES -
MRS. SHYAMALA NAIK -**
Chitradurga (Karnataka) - Net Sale : 26.59 Lakhs



2

**M/S JAAS ENTERPRISES -
MR. THARANATH K -**
Bangalore (Karnataka) - Net Sale : 24.34 Lakhs



3

**M/S PAN TYRES -
MR. RAJIV MASUM KHAN -**
Betul (MP) - Net Sale : 22.77 Lakhs



4

**M/S JK TYRES -
MR. FIROZ KUDACHI**
Chikodi / Mudhol (Karnataka) - Net Sale : 17.72 Lakhs



5

MR. NARAYAN RAMA NAIK -
Goa - Net Sale : 14.32 Lakhs

Congratulations !

Call /  7738678260



TYRESOLES
Getting the best out of your tyres



ECOMILES
RENEWED TYRES

All India Top 5

QTR 1 - 2024 - 25



1

M/S BOMBAY TYRES - MR. ANIKET PATIL

Vapi (Gujarat)

Net. Sale : 19.61 Lakhs



2

M/S JAAS ENTERPRISES - MR. THARANATH K

Bangalore (Karnataka)

Net. Sale : 6.55 Lakhs



3

M/S SUPREME TRADERS - MR. PRAVEEN SHARMA

Bhopal (MP)

Net. Sale : 5.88 Lakhs




4

M/S MAMANSH - MRS. NILAM CHIRAG DETHARIYA

Saurashtra (Gujrat)

Net. Sale : 5.53 Lakhs



5

M/S AMITOJ AGENCY - MR. RISHI PANJWANI

Bhopal (MP)

Net. Sale : 4.84 Lakhs



Congratulations !



TYRESOLES

Getting the best out of your tyres



TYRESOLES

Getting the best out of your tyres

Retreading Dealers All India Top 5 QTR 1 - 2024 - 25

1

M/S SUMUKHA ENTERPRISES - MRS. SHYAMALA NAIK
Chitradurga (Karnataka) Net. Sale : 8.93 Lakhs



2

M/S JK TYRES - MR. FIROZ KUDACHI
Chikodi / Mudhol (Karnataka) Net. Sale : 8.66 Lakhs



3

M/S PAN TYRES - MR. RAJIV MASUM KHAN
Betul (MP) Net. Sale : 6.98 Lakhs



4

M/S JAAS ENTERPRISES - MR. THARANATH K
Bangalore (Karnataka) Net. Sale : 6.93 Lakhs



5

M/S PATIL ENTERPRISES - MR. RAVIRAJ SHASHIKANT PATIL
Mumbai Net. Sale : 5.41 Lakhs



Congratulations !